



हरिनगर गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

हरिनगर, सुनसरी
कोशी प्रदेश, नेपाल



प.स. २०८२/०८३
च.न.:

मिति: २०८३/०१/२३

बजार रेट पेश गर्ने सम्बन्धी सूचना ।


श्री सरोकारवाला सबै,

प्रस्तुत विषयमा यस हरिनगर गाउँपालिका, गाउँ कार्यपालिकाको कार्यालयबाट आ.व.२०८२/०८३ मा तपशिलमा उल्लेख भए बमोजिमको स्यानिटरी प्याड स्वरिदका लागी लागत अनुमान प्रयोजनार्था यस पत्रसाथ संलग्न अनुसूची-१ (दफा ३ को उपदफा (४) सँग सम्बन्धित) सेनिटरी प्याडको न्युनतम मापदण्ड अनुसारको स्यानिटरी प्याडको बजार दर-रेट तौहा संस्थाबाट आजको मितिले ७(सात) दिन भित्र यस कार्यालयमा पेश गर्नुहुन अनुरोध छ ।
तपशिल:

क्र.सं.	विवरण	स्पेसिफिकेसन	इकाई	परिमाण	दर रेट
१	sanitary pad 240 mm (NS & ISO Certified)	(NS & ISO Certified) अनुसूची-१ (दफा ३ को उपदफा (४) सँग सम्बन्धित) सेनिटरी प्याडको न्युनतम मापदण्ड अनुसारको (यसै पत्र साथ संलग्न रहेको)	८ पिस/ प्याकेट	१(एक)	

बजार दर-रेटको साथमा पेश गर्नु पर्ने साजजातहरू:

- १.सस्था दर्ताको प्रमाणपत्रको प्रतिलिपि
- २.प्यान/भ्याट दर्ता प्रमाणपत्रको प्रतिलिपि
३. कर चुक्ताको प्रमाणपत्रको प्रतिलिपि


प्रमुख प्रशासकीय अधिकृत

अनुसूची-१

(दफा ३ को उपदफा (४) सँग सम्बन्धित)

स्यानीटरी प्याडको न्यूनतम मापदण्ड

1.	Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2.	Raw Material permitted: a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
3.	Size: size including minimum (240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm).
4.	Absorbency: the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5.	Disposability: disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6.	Colour: The product shall be white in colour and shall be almost odourless.
7.	PH value: free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
8.	Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887



[Handwritten signature]

	(Part 2).
9.	The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.
10	Packaging type: at least 90% Compostable pack, protecting package to product
11	Packaging size: minimum 8 pads per pack
12	Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)

